


STAINLESS STEEL



Flats

Stainless steel - cold drawn

According to: EN 10277-1, tolerances: h11
Grade according to EN 10088-3
Surface condition: bright

Flach

Edelstahl rostfrei - kalt gezogen

Gemäß EN 10277-1, Toleranzen: h11
Güte nach EN 10088-3: 1D
Oberflächenbeschaffenheit: blank

Méplats

Acier inoxydable - étirés à froid

Conformes à EN 10277-1, tolérances: h11
Nuance selon EN 10088-3
Etat de surface: étirée à blanc

a	t													
	3	4	5	6	8	10	12	15	20	25	30	40	50	60
8	0.19	0.26	0.32	0.38										
10	0.24	0.32	0.40	0.48	0.64									
12	0.29	0.38	0.48	0.58	0.77	0.96								
15	0.36	0.48	0.60	0.72	0.96	1.20	1.44							
16	0.38	0.51	0.64	0.77	1.02	1.28	1.54							
18	0.43	0.58	0.72	0.86	1.15	1.44	1.73	2.16						
20	0.48	0.64	0.80	0.96	1.28	1.60	1.92	2.40						
25	0.60	0.80	1.00	1.20	1.60	2.00	2.40	3.00	4.00					
30	0.72	0.96	1.20	1.44	1.92	2.40	2.88	3.60	4.80	6.00				
35	0.84	1.12	1.40	1.68	2.24	2.80	3.36	4.20	5.60	7.00	8.40			
40	0.96	1.28	1.60	1.92	2.56	3.20	3.84	4.80	6.40	8.00	9.60			
45	1.08	1.44	1.80	2.16	2.88	3.60	4.32	5.40	7.20	9.00	10.80			
50	1.20	1.60	2.00	2.40	3.20	4.00	4.80	6.00	8.00	10.00	12.00	16.00		
60		1.92	2.40	2.88	3.84	4.80	5.76	7.20	9.60	12.00	14.40	19.20		
70		2.24	2.80	3.36	4.48	5.60	6.72	8.40	11.20	14.00	16.80	22.40		
80		2.56	3.20	3.84	5.12	6.40	7.68	9.60	12.80	16.00	19.20	25.60	32.00	38.40
90		2.88	3.60	4.32	5.76	7.20	8.64	10.80	14.40	18.00	21.60	28.80	36.00	43.20
100			4.00	4.80	6.40	8.00	9.60	12.00	16.00	20.00	24.00	32.00	40.00	48.00
110			4.40	5.28	7.04	8.80	10.56	13.20	17.60	22.00	26.40	35.20	44.00	52.80
120				5.76	7.68	9.60	11.52	14.40	19.20	24.00	28.80	38.40	48.00	57.60
125				6.00	8.00	10.00	12.00	15.00	20.00	25.00	30.00	40.00	50.00	60.00
130				6.24	8.32	10.40	12.48	15.60	20.80	26.00	31.20			
140				6.72	8.96	11.20	13.44	16.80	22.40	28.00	33.60			
150				7.20	9.60	12.00	14.40	18.00	24.00	30.00	36.00			
160				7.68	10.24	12.80	15.36	19.20	25.60	32.00	38.40			
180				8.64	11.52	14.40	17.28	21.60	28.80	36.00	43.20			
200				9.60	12.80	16.00	19.20	24.00	32.00	40.00	48.00			
	kg/m													